

JUN 26 2008

Application No.: 10/827,446
Reply to Office Action of January 2, 2008Docket No.: 0051-0226PUS1
Page 2 of 15Amendments to the Claims

1. (Withdrawn) A tooth-hardening apparatus comprising:
a tooth-hardening member of a plate shape having a projection on its surface; and
a nipple attached on the tooth-hardening member; wherein the nipple has a predetermined hardness to provide a pacifier function and a tooth-hardening function.
2. (Withdrawn) The tooth-hardening apparatus according to claim 1, wherein a gripping opening is disposed on both sides of the nipple on the tooth-hardening member.
3. (Withdrawn) The tooth-hardening apparatus according to claim 1, wherein the tooth-hardening member has a space formed substantially in the center portion of the tooth-hardening member, the space being covered with a transparent cover, and
the nipple is coupled to the tooth-hardening member through the transparent cover.
4. (Withdrawn) The tooth-hardening apparatus according to claim 3, wherein a plurality of colored balls are contained in the space covered with the transparent cover.
5. (Withdrawn) The tooth-hardening apparatus according to claim 3, wherein the transparent cover is provided with a drain hole.

PCL/RJW/smj

Application No.: 10/827,446
Reply to Office Action of January 2, 2008

Docket No.: 0051-0226PUS1
Page 3 of 15

6. (Currently Amended) A tooth-hardening apparatus for a teething infant, comprising:

a plate shaped first tooth-hardening member ~~of a plate shape~~ having a first surface provided with a plurality of first projections, wherein the plate lies in a plane; and

a plate shaped second tooth-hardening member ~~of a plate shape~~ having a second surface provided with a plurality of second projections;

wherein the plate shaped second tooth-hardening member is arranged at a periphery of the first tooth-hardening member and is extended from the periphery of the plate shaped first tooth hardening member in the plane in which the plate shaped first tooth lies parallel to the second tooth-hardening member, and

the first surface of the first tooth-hardening member and the second surface of the second tooth-hardening member are formed of respective materials which have hardnesses different from each other.

7. (Currently Amended) The tooth-hardening apparatus according to claim 6, wherein the first hardening member has a space formed substantially in ~~the~~ a center portion of the first tooth-hardening member; the space being contained within two ~~covered with a~~ transparent covers which abut one another.

8. (Original) The tooth-hardening apparatus according to claim 7, wherein a plurality of colored balls are contained in the space covered with the transparent cover.

PCL/RJW/smj

Application No.: 10/827,446
Reply to Office Action of January 2, 2008

Docket No.: 0051-0226PUS1
Page 4 of 15

9. (Original) The tooth-hardening apparatus according to claim 7, wherein the transparent cover is provided with a drain hole.

10. (Original) The tooth-hardening apparatus according to claim 6, wherein a gripping opening is disposed on the first tooth-hardening member.

11. (Withdrawn) A tooth-hardening apparatus comprising:

a first tooth-hardening member of substantially a plate shape having a first surface provided with a plurality of first projections;

a second tooth-hardening member of substantially a plate shape having a second surface provided with a plurality of second projections, and being arranged in parallel to the first tooth-hardening member; and

a coupling member for coupling the first tooth-hardening member to the second tooth-hardening member; wherein

the first surface of the first tooth-hardening member and the second surface of the second tooth-hardening member are formed of respective materials which have hardnesses different from each other.

12. (Withdrawn) The tooth-hardening apparatus according to claim 11, wherein the first tooth-hardening member has a space formed substantially in the center portion of the first tooth-hardening member, the space being covered with a transparent cover.

PCL/RJW/smj

Application No.: 10/827,446
Reply to Office Action of January 2, 2008

Docket No.: 0051-0226PUS1
Page 5 of 15

13. (Withdrawn) The tooth-hardening apparatus according to claim 12, wherein a plurality of colored balls are contained in the space covered with the transparent cover.

14. (Withdrawn) The tooth-hardening apparatus according to claim 12, wherein the transparent cover is provided with a drain hole.

15. (Withdrawn) The tooth-hardening apparatus according to claim 11, wherein the coupling member is composed of a plurality of curved members.

16. (Withdrawn) The tooth-hardening apparatus according to claim 11, wherein at least one of the first and second tooth-hardening members is so configured as to firstly come close to the other member from the center portion toward the periphery, and then to separate from the other member.

17. (New) The tooth hardening apparatus for a teething infant of claim 1, wherein the plate shaped first tooth-hardening member further comprises a second surface provided with a plurality of second projections;

the plate shaped second tooth-hardening member further comprises a first surface provided with a plurality of first projections,

wherein the hardness of the first surface of the plate shaped first tooth-hardening member differs from the hardness of the second surface of the first tooth-hardening member and/or the

PCL/RJW/smj

Application No.: 10/827,446
Reply to Office Action of January 2, 2008

Docket No.: 0051-0226PUS1
Page 6 of 15

hardness of the first surface of the plate shaped second tooth-hardening member differs from the
hardness of the second surface of the second tooth-hardening member.

PCL/RJW/smj